

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	643	709/237.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 15:11
S2	600	709/237.ccls. and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 18:14
S3	45366	(interface) near4 (status or state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 19:56
S4	24398	(analy\$4 or assess\$4 or evaluat \$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor \$3 or track\$3 or detect\$3) WITH (interface or ((route\$3 or forward\$3) adj table) or ((traffic or packet) adj schedul \$2) or ((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/15 12:07
S6	317087	(analy\$4 or assess\$4 or evaluat \$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor \$3 or track\$3 or detect\$3) WITH (interface or ((route\$3 or forward\$3) adj table) or ((traffic or packet) adj schedul \$2) or ((traffic or packet) adj classifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/15 12:13
S7	24398	S6 with (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/15 12:13

S8	22106	(check\$3 or test\$3 or determin\$5 or monitor\$3 or detect\$3) WITH (interface or ((route\$3 or forward\$3) adj table) or ((traffic or packet) adj scheduler\$2) or ((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/15 12:14
S9	506	(analyze\$4 or assess\$4 or evaluate\$3 or examine\$3 or check\$3 or test\$3 or determine\$5 or monitor\$3 or track\$3 or detect\$3) WITH (((route\$3 or forward\$3) adj table) or ((traffic or packet) adj scheduler\$2) or ((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/15 12:15
S10	387	S9 and (@ad<"20030523" or @rld<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/15 12:16
S11	1	("2005/0076231").URPN.	USPAT	ADJ	ON	2007/11/15 19:17
S12	1	"6647509".pn.	USPAT	ADJ	ON	2007/11/15 19:17
S13	581	(analyze\$4 or assess\$4 or evaluate\$3 or examine\$3 or check\$3 or test\$3 or determine\$5 or monitor\$3 or track\$3 or detect\$3) WITH ((route\$3 adj (module or component)) or ((route\$3 or forward\$3) adj table) or ((traffic or packet) adj scheduler) or ((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:05
S14	276	(detect\$3) WITH ((route\$3 adj (module or component)) or ((route\$3 or forward\$3) adj table) or ((traffic or packet) adj scheduler) or ((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:08

S15	203	S14 and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:11
S16	0	((analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH (((traffic or packet or queuing) adj scheduler)) WITH (failure or fault or error or problem or liveness or deadness or working)) and router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:22
S17	6	((analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH (((traffic or packet or queuing) adj scheduler)) WITH (failure or fault or error or problem or liveness or deadness or working))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:23
S18	128	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) near2 ((traffic or packet or queuing) adj scheduler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:27
S19	20	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) adj ((traffic or packet or queuing) adj scheduler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:49
S20	3	(test\$3) near2 ((traffic or packet or queuing) adj scheduler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:52
S21	30	(test\$3) with ((traffic or packet or queuing) adj scheduler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:54
S22	27	((test\$3) with ((traffic or packet or queuing) adj scheduler)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:54

S23	15	((test\$3) adj ((rout\$3 or forward \$3) adj table)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/11/16 09:58
S24	0	((test\$3) adj ((traffic or packet) adj classifier)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/11/16 10:23
S25	0	((test\$3) with ((traffic or packet) adj classifier)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/11/16 10:23
S26	39	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) adj ((traffic or packet) adj classifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/11/16 10:24
S27	12	((test\$3) adj (classifier)) and router and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/11/16 10:27
S28	1	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH (((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/11/16 10:29
S29	8	((test\$3) adj (rout\$3 adj (module or component))) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/11/16 10:42
S30	19	((test\$3) near\$3 ((router or routing) adj (module or component))) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/11/16 10:43

S31	95	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH ((data or forwarding) adj plane) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 11:38
S32	63	S31 and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 11:39
S33	2099	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH (router) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 13:35
S34	938	S33 AND ((transmit\$3 or transmis\$4 or retransmit\$3 or retransmis\$4 or transfer\$3 or forward\$3 or rout\$3 or send\$3 or sent or resend\$3 or resent or direct\$3 or redirect\$3 or broadcast\$3 or unicast\$3 or multicast\$3 or (broad or uni or multi) adj cast\$3) WITH (message or frame or packet or unit or block or segment or data or information or signal) WITH (status\$2 or state or fail\$5 or up or down or live\$5 or dead\$5 or error\$5 or fault\$5)) AND ((updat\$3 or alter\$5 or modif\$7 or (up adj dat\$3) or record\$5) WITH (status\$2 or state or fail\$5 or up or down or live\$5 or dead\$5 or error\$5 or fault\$5))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 14:26
S35	593	S33 AND ((transmit\$3 or transmis\$4 or retransmit\$3 or retransmis\$4 or transfer\$3 or forward\$3 or rout\$3 or send\$3 or sent or resend\$3 or resent or direct\$3 or redirect\$3 or broadcast\$3 or unicast\$3 or multicast\$3 or (broad or uni or multi) adj cast\$3) WITH (message or frame or packet or unit or block or segment or data or information or signal) WITH (status\$2 or state or fail\$5 or up or down or live\$5 or dead\$5 or error\$5 or fault\$5))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 14:33

		AND ((updat\$3 or (up adj dat \$3)) WITH (status\$2 or state or fail\$5 or up or down or live\$5 or dead\$5 or error\$5 or fault \$5))				
S36	414	S35 and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/11/16 14:49
S37	42	((((link state advertisement) or (link state packet)) same ((interface or port) with (status \$2 or state or fail\$5 or up or down or live\$5 or dead\$5 or error\$5 or fault\$5 or flag))) and (link state database) and (@ad<"20030523" or @rlad<"20030523"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/11/28 15:59
S38	6221	((interface or port) with (status \$2 or state) with (message)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/11/28 16:05
S39	1107	((interface or port) with (status \$2 or state) adj (message)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/11/28 16:13
S40	20469	(bit adj error adj rate) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/12/03 16:32
S41	448	(bit adj error adj rate) and (@ad<"20030523" or @rlad<"20030523") and ((interface or port) with (status \$2 or state) with (information or message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/12/03 16:33
S42	24	(concatenating OR aggregating OR combining OR merging OR batching OR consolidating) near6 (link near2 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; BM_TDB	ADJ	ON	2009/02/25 14:31
S43	661	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5 OR join\$5 or group\$5) near6 (link near2 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; BM_TDB	ADJ	ON	2009/02/25 14:32

S44	35	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5 OR join\$5 or group\$5) near6 (link near2 (state or status) near2 (message or advertisement))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/25 14:32
S47	315	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5) near6 (link near2 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/25 14:33
S48	295	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5) near6 (interface near3 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/25 14:34
S49	16	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5) near6 (interface near3 (state or status)) near5 (message)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/25 14:34
S51	299	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5) near4 (link near3 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/25 14:52
S52	6	S48 and S51	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/25 15:53
S61	1	"20040125774".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:00
S62	40	explicit near6 (state or status) near6 (interface or (data adj plane) or port)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:09
S63	91	explicit\$2 near6 (state or status) near6 (interface or (data adj plane) or port)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:09
S64	73	S63 and (@ad<="20030523" or @rlad<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:11
S65	120	(state or status) near6 (interface or (data adj plane) or port) near6 (re\$1start\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:15
S67	90	S65 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:15

S68	13	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (re\$1start\$5)) near20 (state or status)	US-PGRUB; USPAT; FPRS; EPO; JPO; BM_TDB	ADJ	ON	2009/02/26 12:19
S69	10	S68 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGRUB; USPAT; FPRS; EPO; JPO; BM_TDB	ADJ	ON	2009/02/26 12:20
S70	98	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (re\$1start\$5))	US-PGRUB; USPAT; FPRS; EPO; JPO; BM_TDB	ADJ	ON	2009/02/26 12:24
S71	61	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (re\$1start\$5)) and ((state or status) near6 (interface or (data adj plane) or port))	US-PGRUB; USPAT; FPRS; EPO; JPO; BM_TDB	ADJ	ON	2009/02/26 12:24
S72	37	S71 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGRUB; USPAT; FPRS; EPO; JPO; BM_TDB	ADJ	ON	2009/02/26 12:24
S73	288	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (re\$1set\$5)) and ((state or status) near6 (interface or (data adj plane) or port))	US-PGRUB; USPAT; FPRS; EPO; JPO; BM_TDB	ADJ	ON	2009/02/26 14:21
S74	221	S73 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGRUB; USPAT; FPRS; EPO; JPO; BM_TDB	ADJ	ON	2009/02/26 14:22
S81	0	((message or packet or advertisement) near6 (node) near6 ("not" near2 report\$3))	US-PGRUB; USPAT; FPRS; EPO; JPO; BM_TDB	ADJ	ON	2009/02/26 15:30
S82	0	((message or packet or advertisement) near6 (device) near6 ("not" near2 report\$3))	US-PGRUB; USPAT; FPRS; EPO; JPO; BM_TDB	ADJ	ON	2009/02/26 15:30
S83	134	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (\$1sleep\$3 or hibernat\$3 or suspend\$3)) and ((state or status) near6 (interface or (data adj plane) or port))	US-PGRUB; USPAT; FPRS; EPO; JPO; BM_TDB	ADJ	ON	2009/02/26 15:35
S84	118	S83 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGRUB; USPAT; FPRS; EPO; JPO; BM_TDB	ADJ	ON	2009/02/26 15:35

S85	0	((message or packet or advertisement) near6 (interface or (data adj plane) or port or link) near6 (can\$1t near2 report \$3))	US-PGRUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 15:54
S86	0	((message or packet or advertisement) near6 (interface or (data adj plane) or port or link) near6 ("not" near2 report \$3))	US-PGRUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 15:55
S87	0	((message or packet or advertisement) near6 (interface or (data adj plane) or port or link) near6 (isn\$1t near2 report \$3))	US-PGRUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 15:55
S89	78	((message or packet or advertisement) near6 (link) near6 (\$1sleep\$3 or hibernat\$3 or suspend\$3)) and ((state or status) near6 (link))	US-PGRUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 16:02
S90	46	S89 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGRUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 16:02
S91	74	((message or packet or advertisement) near6 (link) near6 (re\$1start\$5)) and ((state or status) near6 (interface or (data adj plane) or port or link))	US-PGRUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 16:06
S92	43	S91 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGRUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 16:06

2/ 26/ 2009 4:28:30 PM

C:\Documents and Settings\vkrishnan\My Documents\EAST\Workspaces\10775544.wsp